

Ref. Certif. No.

DK-152819-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF	TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME
CB TEST CERTIFICATE	
Product	SWITCHING POWER SUPPLY
Name and address of the applicant	DONGGUAN AOYUAN ELECTRONICS TECHNOLOGY CO., LTD. Factory A7, Zhen'an Sci-Tech Industrial Park, Chang'An Town, Dongguan, Guangdong Sheng 523872 China
Name and address of the manufacturer	DONGGUAN AOYUAN ELECTRONICS TECHNOLOGY CO., LTD. Factory A7, Zhen'an Sci-Tech Industrial Park, Chang'An Town, Dongguan, Guangdong Sheng 523872 China
Name and address of the factory	DONGGUAN AOYUAN ELECTRONICS TECHNOLOGY CO., LTD. Factory A7, Zhen'an Sci-Tech Industrial Park, Chang'An Town, Dongguan, Guangdong Sheng 523872 China
Note: When more than one factory, please report on page 2	Additional Information on page 2
Ratings and principal characteristics	Input: 100-180V~ 50/60Hz 3.5A Max or 180-240V~ 50/60Hz 3.5A Max Output: See test report for details.
Trademark / Brand (if any)	AOYUAN
Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	AYS198Y-XXX Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to: EN IEC 62368-1:2020, EN IEC 62368- 1:2020/A11:2020 National Differences: EU Group Differences, AU, CA, CN, JP, NZ, SA, GB, US
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	BTL-CB3-1-S2403G085 issued on 2024-04-28
This CB Test Certificate is issued by the National Certification Body	
	Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA For full legal entity names see www.ul.com/ncbnames
Date: 2024-04-30	Signature: Thomas Wilson



DK-152819-UL

Additional Model Detail(s):

AYS198Y-XXX, XXX=038-045, 3 digits, indicates 10 times of output voltage in V and in step of 0.1V. eg. 038=3.8V, 045=4.5V.

Additional information (if necessary)



□ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☑ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
□ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
□ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature:

The I Wil

Thomas Wilson